




Precision Spindles &
Spindle repair services

myl.es



Special Customized Spindle & Electrospindle Model Range





INTERCHANGEABLE HSK-A125 GRINDING SPINDLE FOR VERTICAL LATHE

MYL CODE	SP01GE011000143
DIAMETER [mm]	270
WORKING POSITION	VERTICAL
MAX SPEED [rpm]	2,500
TAPER TYPE	HSK- 125A
LUBRICATION	GREASE
VIBRATION SENSOR	YES
ATC	YES
BEARING T° SENSOR	YES
INTERCHANGEABLE	YES







INTERCHANGEABLE HSK-A100 GRINDING ELECTROSPINDLE FOR VERTICAL LATHE

MYL CODE	SP02GE011000174
DIAMETER [mm]	220
WORKING POSITION	VERTICAL
MOTOR TYPE	ASYNCHRONOUS
TORQUE [Nm] @ SPEED [rpm]	184.3 @1,400
POWER [kW] @ SPEED [rpm]	27 @1,400
MAX SPEED [rpm]	5,000
TAPER TYPE	HSK- A100
LUBRICATION	GREASE
ATC	YES
BEARING T° SENSOR	YES



SPEED SENSOR	YES
ENCODER	YES
MOTOR COOLING	YES
VIBRATION SENSOR	YES
AIR SEAL	YES





EXTENSION SPINDLE WITH ATC FOR MILLING MACHINE



MYL CODE	SP06GE011000048
DIAMETER [mm]	166
WORKING POSITION	VERTICAL / HORIZONTAL
MAX SPEED [rpm]	2,000
TAPER TYPE	SK 50 BP
LUBRICATION	GREASE
ATC	YES
EXTERNAL COOLING	YES





INTERCHANGEABLE GRINDING SPINDLE FOR VERTICAL LATHE



MYL CODE	SP01GE011000167
DIAMETER [mm]	195
WORKING POSITION	VERTICAL
MAX SPEED [rpm]	4,000
TAPER TYPE	Ø56 1/7.5
LUBRICATION	GREASE
EXTERNAL COOLING	YES
VIBRATION SENSOR	YES
AIR SEAL	YES





INTERCHANGEABLE GRINDING SPINDLE FOR VERTICAL LATHE

MYL CODE	SP01GE011000168
DIAMETER [mm]	105
WORKING POSITION	VERTICAL
MAX SPEED [rpm]	4,000
TAPER TYPE	Ø28 1/7.5
LUBRICATION	GREASE
EXTERNAL COOLING	YES
VIBRATION SENSOR	YES
AIR SEAL	YES






Precision Spindles &
Spindle repair services

myl.es

EXAMPLES

SP02GE011000174

SGV Ø220 5000rpm 35kW
HSK-A100



SP06GE011000048

STC-D 166-482-2000
SK50 BP





Precision Spindles &
Spindle repair services

myl.es

Thank you